



RFQ NO.: 2019-070 DATE: 4 November 2019

RFQ TYPE: Goods and Services

REQUEST FOR QUOTATION

1. The John Hay Management Corporation (JHMC), through its Bids and Awards Committee (BAC) and approved Annual Procurement Plan (APP) for 2019 invites qualified suppliers to submit a price quotation, with the total Approved Budget for the Contract (ABC) at Four Hundred Ninety-Eight Thousand Nine Hundred Pesos (PhP 498,900.00) for the Procurement of LED Lights and Decorations as described below:

Unit	Item Description	Quantity
lot	Procurement of LED Lights and Decorations	1
	12 Pieces LED Rope Light100 Meters Daylight ES- ROPELGHT100M	
	ES-ROPELGHT100M-DL	
	Specifications: Wattage 3 to 3.5 Watts per Meter	
	Length: 100 Meters	
	Min. Cutting Interval 1 meter	
	Color Temp: 6,000 – 6,500 K	
	Light Color: Day Light	
	Power Cable Working Voltage AC85V – 265V 50/60Hz	
	IP Rating: IP 65 Application	
	Great for Indoor/Outdoor Applications warranty of 2 years, free installation	
	warranty of 2 years, free histarration	
	70 Pieces LED Strip Light 5050RGB Outdoor	
	IP67ES-STRP5050-O	
	ES-STRP5050-ODIP67-RGB	
	Specifications:	
	Wattage: 14.4 Watts per meter	
	Light Source: SMD 5050	
	Dimension: 10mm wide*2mm	
	Color Temperature: RGB	
	Beam Angle: 120° Degrees	
	Input Voltage: DC 12V Material: Flexible Circuit Board	
	Lifetime: > 50,000 hours	
	IP Rating: IP 67 (Good for Outdoor)	
	Warranty of 2 Years, Free Installation	





Unit	Item Description	Quantity
	15 Biograf LED Downer Supply 250 Wotte Outdoor	
	15 Pieces LED Power Supply 250 Watts Outdoor Wattage: 250W ± 5%	
	Connection Input/Output: Cable Wire	
	Operating Temperature: -20° – 40° C	
	Input Voltage: AC 85 – 265V	
	Frequency Range: 50 / 60Hz	
	Output Type: Constant Voltage	
	Output Voltage: DC 12V ± 5%	
	Output Voltage Adj Range: ± 10%	
	Output Current: 20.83 A Max	
	Power Factor: > 0.85	
	Over Voltage Protection: 115 – 150% rated output	
	voltage Overload Protection: 110 – 150% hiccup mode, auto	
	recovery	
	Withstand Voltage: I/P ~ O/P: 1.5kVAC, 1 minute	
	Material: Aluminum Case	
	Ambient Humidity: 20~90% RH Non-Condensation	
	IP Rating: IP 67 (for Outdoor, Suitable in wet and Dry	
	Area)	
	Working Voltage: AC 100 – 240V 50/60Hz	
	IP Rating: IP 65 (Good for indoor and outdoor)	
	Two (2) Years Warranty, Free Delivery	
	60 Pieces LED Bulb 7 Watts Daylight	
	Wattage: 7W	
	Luminous Flux: 700 lm	
	Light Source: High bright LED SMD	
	Color Temperature: 5500-6500 K / Daylight	
	PC Cover: Frosted Material: PC Cover and Aluminum PCB	
	Bulb Holder: E27	
	Beam Angle: 120° Degrees	
	Working Voltage: AC 85-265V	
	With Lifetime Warranty, Free Installation, Free Delivery	
	100 Pieces LED Mesh Net Light Indoor and Outdoor	
	Light Effect: Combination, In Waves, Sequential, Slow	
	Glow, Chasing/Flash, Slow Fade, Twinkle/Flash, Steady	
	On	
	Length Wire: 2m x 3m	
	Bulb Quantity: 200 pcs	





TI *4	Itaan Daanintian	0
Unit	Item Description	Quantity
	Color Temp.: Day Light	
	Material: Transparent PVC Wire	
	Mounting: Suspended/Hanging Working Voltage: AC 100 240V 50/60Uz	
	Working Voltage: AC 100 – 240V 50/60Hz	
	IP Rating: IP 65 (Good for indoor and outdoor)	
	Lifetime Warranty, Free Delivery and Installation	
	100 Pieces Festoon String Lights with Filament Bulb	
	4 Watts	
	Specifications:	
	Wattage: 4 Watts	
	Luminous Flux: 350 – 400 lm	
	No. of Bulb: 2pcs Bulb Per Meter	
	Color Temperature: 2700 – 3000 K / Warm White	
	Bulb Material Clear Glass	
	Bulb Holder E27 Rubber Holder	
	Working Voltage: AC 220V	
	IP Rating: IP 63	
	With warranty, free delivery and installation	
	100 Pieces LED Fairy light weatherproof daylight	
	Light Effect: Programmable / Multi-Color	
	Length Wire: 10m	
	Bulb Quantity: 200 pcs	
	Color Temp.: Multi-Color	
	Material: Copper Wire	
	Mounting: Suspended/Hanging	
	Working Voltage: AC 100 – 240V 50/60Hz	
	IP Rating: IP 65 (Good for indoor and outdoor)	
	With Warranty, Free Delivery, Free Installation	
	100 Pieces LED Curtain Light300 Bulbs Day Light	
	Specifications Light Effect: Programmable / Single	
	Color Length Wire: 3m x 3m Bulb Quantity:300	
	pcs Color Temp.: white Material: Transparent PVC	
	Wire Mounting: Suspended/Hanging Working	
	Voltage: L AC 100 – 240V 50/60Hz IP Rating IP 65	
	(Good for indoor and outdoor)	
	With warranty, free delivery and installation	
	50 Pieces Meteor Light	
	Length: 3M Main Length 30cm Tube Light No.	
	of Bulbs: 8 Tubes	





Unit	Item Description	Quantity
	Color: Single Programmable:	
	Yes	
	Weather Proofing: Indoor or Outdoor	
	100 Pieces LED Fairy Light Copper String Warm	
	White	
	Model: ES-FRYL-6M-WW	
	Specifications Light	
	Effect: Programmable / Single Color	
	Length Wire: 6m Bulb	
	Quantity:200 pcs	
	Color Temp.:2700-3500 K / Warm white	
	Material: Copper Wire	
	Mounting: Suspended/Hanging	
	Working Voltage: AC 100 – 240V 50/60Hz	
	IP Rating: IP 65 (Good for indoor and outdoor)	
	(to be procured by lot)	

Quotations received in excess of the ABC shall be automatically rejected.

- 2. All particulars relative to this procurement shall be conducted in accordance with the Revised Implementing Rule s and Regulations of Republic Act No. 9184.
- 3. The price quotation shall be quoted in Philippine Pesos, inclusive of all taxes to be paid if the contract is awarded.
- 4. The sealed Quotation must indicate the RFQ No. for the procurement for easy reference.
- 5. Quotations must be delivered or emailed on or before **19 November 2019**, **5:00 PM** to the address below:

LEA C. QUISOBEN-MAGUILAO, CPA, REA, REB Head, BAC Secretariat John Hay Management Corporation Cottage 624 Basement, Camp John Hay, Baguio City bac@jhmc.com.ph







- 6. The proposal/s shall contain the following:
 - Proposal

- PhilGEPS Registration Number
- Mayor's/Business Permit
- Income/Business Tax Return

Note: Certificate of Platinum Membership may be submitted in lieu of the Mayor's Permit and PhilGEPS Registration Number

7. JHMC reserves the right to accept or reject any quotation; to annul the bidding process and reject all quotations at any time prior to contract award, without thereby incurring any liability to the affected bidder or bidders; to waive any minor defects or infirmities therein; and to accept such quotation as may be considered advantageous to the government.

Approved for Posting:

(SGD) JANE THERESA G. TABALINGCOS BAC Chairperson

GDS 40

